


### 1.Part Number System



## 1.1 <u>Product Type</u>

Code	CBE
Product Type	Radial

## 1.2 Capacitance code

Code	106	107
Capacitance (µF)	10	100

## 1.3 <u>Rated voltage code</u>

Code	<b>0</b> J	1A	1C	1E	1V	1H	1J	2A
Voltage (W.V.)	6.3	10	16	25	35	50	63	100

Code	2C	2D	<b>2</b> E	2V	2G	2W
Voltage (W.V.)	160	200	250	350	400	450

### 1.4 <u>Capacitance tolerance</u>

Code	M	V	R
Tolerance Range	±20%	-10%~+20%	0~+20%

## 1.5 Environmental requirements

Code	R	Н
Environmental	DOUS Boautromonts	UE Doquiromonts
requirements	ROHS Requirements	HF Requirements

## 1.6 Products Series Code:

Code	CDTL
Series	TL

## 1.7 <u>Diameter</u>

Code	В	C	D	E	F	G	Ι	J	K	L
Diameter	3	4	5	6.3	8	10	12.5	13	16	18

## 1.8 Case length

Code	11	1A	1B	20	2A	3A
length(mm)	11	11.5	12.5	20	21.5	31.5



## 1.9 Packaging:

	,	_			,
Code	RR	T2	ТВ	Т3	T5
Packaging	Bulk	Lead Pitch=2.0mm Taping	Lead Pitch=2.5mm Taping	Lead Pitch=3.5mm Taping	Lead Pitch=5.0mm Taping
Code	Т7	CA	СВ	СС	CD
Packaging	Lead Pitch=7.5mm Taping	Cut the feet long=3.0mm	Cut the feet long=3.5mm	Cut the feet long=4.0mm	Cut the feet long=4.5mm


# 注:产品切脚长度,以A=3.0mm 开始,每增加0.5mm,英文字向前推一位,如下表:

切脚长度(mm)	代码		
<b>3.0</b> ±0.5	CA		
<b>3.5</b> ±0.5	СВ		
<b>4.0</b> ±0.5	СС		
<b>4.5</b> ±0.5	CD		
<b>5.0</b> ±0.5	CE		
依次类推			



### 2. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be impregnated with electrolyte will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber, then finished by putting on the vinyl sleeve.



No	Component	Material
1	Lead line	Tinned CP wire (Pb Free)
2	Terminal	Aluminum wire
3	Sealing Material	Rubber
4	Al-Foil (+)	Formed aluminum foil
5	Al-Foil (-)	Etched aluminum foil or formed aluminum foil
6	Case	Aluminum case
7	Sleeve	PET
8	Separator	Electrolyte paper



#### 3. Characteristics

## Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements

and tests is as follows:

Ambient temperature : 15°C to 35°C
Relative humidity : 45% to 85%
Air pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

Ambient temperature  $: 20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ Relative humidity : 60% to 70%Air pressure : 86kPa to 106kPa

## Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is (6.3~100WV) -40°C to 105°C; (160~450WV) -25°C to 105°C.

As to the detailed information, please refer to table 1

#### Table 1

	ITEM			PE	ERFORM	MANCE	E			
	Rated Voltage	WV (V.DC)	6.3	10	16	25	35	50	63	100
	(WV)	SV (V.DC)	8	13	20	32	44	63	79	125
3.1	Surge Voltage (SV)	WV (V.DC) SV (V.DC)	160 200	200 250	250 300	350 400	400 450	450 500		
3.2	Nominal capacitance (Tolerance)	Measuring V Measuring To	Measuring Frequency : $120\text{Hz}\pm12\text{Hz}$ Measuring Voltage : Not more than 0.5Vrms Measuring Temperature : $20\pm2^{\circ}\text{C}$							
3.3	Leakage current	Shall be within the specified capacitance tolerance. <b>Condition&gt;</b> Connecting the capacitor with a protective resistor $(1k \Omega \pm 10 \Omega)$ in series for 2 minutes, and then, measure leakage current. <b>Criteria&gt;</b> $6.3\sim100\text{V}$ : I ( $\mu$ A) $\leq$ 0.01CV or 3 ( $\mu$ A) whichever is greater. $160\sim450\text{V}$ : I $\leq$ 0.03CV+10 ( $\mu$ A)max after 2 minutes I: Leakage current ( $\mu$ A) C: Capacitance ( $\mu$ F) V: Rated DC working voltage (V)								



		<conditio< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></conditio<>									
			ominal capa		, for m	easuri	ng fre	quenc	y,		
		_	nd temperatu	re.							
		<criter< td=""><td></td><td></td><td>40</td><td>40</td><td>0.5</td><td>0.5</td><td></td><td>00</td><td>400</td></criter<>			40	40	0.5	0.5		00	400
3.4	tan δ		voltage (v)	6.3	10	16	25	35	50	63	100
			(max.)	0.26	0.22	0.18	0.16	0.14	0.12	0.10	0.08
		Working	voltage (v)	160	200	250	300	350	400		
		tan (	(max.)	0.20	0.20	0.20	0.24	0.24	0.24		
		<condition></condition>									
			enoth of term	ninals							
		Tensile strength of terminals  Fixed the capacitor, applied force to the terminal in lead out direction for									
			$10\pm1$ seconds.								
			strength of te	rminal	S						
		_	e capacitor,			to bent	the te	ermina	1 (1~4	mm fr	om the
			for 90o with			s, and	then b	ent it	for 90	o to its	original
3.5	Terminal	position	within 2~3 s	seconds							
	strength	Diame	ter of lead w	ire		le forc	e		ing fo	rce	
				-1-0	N (kgf)				(kgf)		
		0.5mm	0.5mm and less					2.5 (0	0.25)		
		Over 0	Over 0.5mm to 0.8mm   10 (1.0)   5 (0.51)						51)		
		<criteria></criteria>									
		No noticeable changes shall be found, no breakage or looseness at the									
	<u> </u>	terminal.									
		<condition< td=""><td>i&gt; Testin</td><td>σ.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></condition<>	i> Testin	σ.							
		STEP	_	Time							
		temperature( $^{\circ}$ C) Time  1 20 $\pm 2$ Time to reach thermal equ									
		1 1 1						ermal	eanili	brium	
		2	(-40)-25	±3	Tim	e to re	ach th	ermal	equili	brium	
		2 3	(-40)-25 20±2	±3	Tim Tim	e to re	ach th ach th	ermal ermal	equili equili	brium brium	
		3 4	(-40)-25 20±2 105±	±3 2 2	Tim Tim Tim	e to re e to re e to re	ach th ach th ach th	ermal ermal ermal	equili equili equili	brium brium brium	
		2 3 4 5	$(-40)-25$ $20\pm 2$ $105\pm 20\pm 2$	±3 2 2	Tim Tim Tim	e to re	ach th ach th ach th	ermal ermal ermal	equili equili equili	brium brium brium	
		2 3 4 5 <criteria></criteria>	$(-40)-25$ $20\pm 2$ $105\pm$ $20\pm 2$	±3 2 2 2	Tim Tim Tim Tim	e to re e to re e to re e to re	ach th ach th ach th ach th	ermal ermal ermal	equili equili equili equili	brium brium brium brium	
	Tomporoturo	2 3 4 5 <criteria> a. At +1</criteria>	$(-40)-25$ $20\pm 2$ $105\pm 20\pm 2$ $05^{\circ}\mathbb{C}$ , capaci	±3 2 2 2 2 tance m	Tim Tim Tim Tim	e to re e to re e to re e to re	ach th ach th ach th ach th	ermal ermal ermal	equili equili equili equili	brium brium brium brium	
	Temperature	2 3 4 5 < <b>Criteria</b> > a. At +10 of its	$(-40)-25$ $20\pm 2$ $105\pm$ $20\pm 2$	$\pm 3$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Tim Tim Tim Tim Tim oneasure 0°C.	e to re e to re e to re e to re	ach th ach th ach th ach th	ermal ermal ermal	equili equili equili equili	brium brium brium brium	
3.6	Temperature characteristics	2 3 4 5 < <b>Criteria</b> > a. At +1 of its tan δ	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $05^{\circ}$ C, capacioriginal value	$\pm 3$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 4 6 6 7 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8	Tim Tim Tim Tim Tim O°C.	e to re	ach th ach th ach th ach th l be w	ermal ermal ermal ermal	equili equili equili equili equili	brium brium brium brium	s of its
3.6	-	2 3 4 5 < <b>Criteria</b> 2 a. At +10 of its tan δ s	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $05^{\circ}\mathbb{C}$ , capacioriginal values shall be with	$\pm 3$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 4 6 6 7 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8	Tim Tim Tim Tim Tim O°C.	e to re	ach th ach th ach th ach th l be w	ermal ermal ermal ermal	equili equili equili equili equili	brium brium brium brium	s of its
3.6	-	2 3 4 5 < <b>Criteria</b> 2 a. At +10 of its tan δ s The 1 specif	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $05^{\circ}$ C, capacioriginal values thall be with eakage current.	±3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1	Tim Tim Tim Tim Tim O°C.	e to re led shal	ach th ach th ach th ach th I be w	ermal ermal ermal ermal rithin	equili equili equili equili ±20%	brium brium brium brium	s of its
3.6	-	2 3 4 5 <criteria +1="" 1="" a.="" at="" b.="" in="" its="" of="" s="" specif="" stee<="" tan="" td="" the="" δ=""><td>(-40)-25 <math>20\pm 2</math> <math>105\pm</math> <math>20\pm 2</math> <math>05^{\circ}</math>C, capacioriginal values thall be with eakage currence to 5, tan <math>\delta</math> shall akage currence that <math>\delta</math> shall be shall be shall be with eakage currence to 5, tan <math>\delta</math> shall be sh</td><td>tance me at +2 in the literature me all be went shall</td><td>Tim Tim Tim Tim neasure 0°C. mit of asured ithin t</td><td>e to re e to re e to re e to re e to re shall he limitore tha</td><td>ach th ach th ach th ach th I be w 4.4 not 1</td><td>ermal ermal ermal ermal rithin more em 4.4</td><td>equili equili equili equili ±20% than 8</td><td>brium brium brium  brium  6  3 times</td><td></td></criteria>	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $05^{\circ}$ C, capacioriginal values thall be with eakage currence to 5, tan $\delta$ shall akage currence that $\delta$ shall be shall be shall be with eakage currence to 5, tan $\delta$ shall be sh	tance me at +2 in the literature me all be went shall	Tim Tim Tim Tim neasure 0°C. mit of asured ithin t	e to re shall he limitore tha	ach th ach th ach th ach th I be w 4.4 not 1	ermal ermal ermal ermal rithin more em 4.4	equili equili equili equili ±20% than 8	brium brium brium  brium  6  3 times	
3.6	-	2 3 4 5 <criteriax +1="" 1="" a.="" at="" at-23<="" b.="" c.="" in="" its="" le="" of="" s="" specif="" ste="" tan="" td="" the="" δ=""><td>(-40)-25 20±2 105± 20±2 05°C, capacioriginal value shall be with eakage currence of 5°C, tan δ shall akage currence of 5°C, Impedia</td><td>tance me at +2 in the literature me all be went shall</td><td>Tim Tim Tim Tim neasure 0°C. mit of asured ithin t</td><td>e to re e to re e to re e to re e to re shall he limitore tha</td><td>ach th ach th ach th ach th I be w 4.4 not 1</td><td>ermal ermal ermal ermal rithin more em 4.4</td><td>equili equili equili equili ±20% than 8</td><td>brium brium brium  brium  6  3 times</td><td></td></criteriax>	(-40)-25 20±2 105± 20±2 05°C, capacioriginal value shall be with eakage currence of 5°C, tan δ shall akage currence of 5°C, Impedia	tance me at +2 in the literature me all be went shall	Tim Tim Tim Tim neasure 0°C. mit of asured ithin t	e to re shall he limitore tha	ach th ach th ach th ach th I be w 4.4 not 1	ermal ermal ermal ermal rithin more em 4.4	equili equili equili equili ±20% than 8	brium brium brium  brium  6  3 times	
3.6	-	2 3 4 5  Criteriax <ul> <li>a. At +10</li> <li>of its</li> <li>tan δ s</li> <li>The 1</li> <li>specifies</li> <li>b. In step</li> <li>The left</li> <li>c. At-2s</li> <li>follow</li> </ul>	(-40)-25 20±2 105± 20±2 05°C, capaci original value shall be with eakage curre ied value. 5 5, tan δ sha akage curre of C, Impediving table.	tance me at +2 in the literature me all be went shall ance (2	Tim Tim Tim Tim Tim neasure 0°C. mit of assured ithin t not me Z) rati	e to re shall he limitore that o shall	ach th ach th ach th ach th I be w 4.4 not a it of It in the s	ermal ermal ermal ermal rithin more em 4.4 specifi excee	equilii equilii equilii equilii ±20% than 8	brium brium brium 6 8 times ue. value	e of the
3.6	-	2 3 4 5 <criteriax +1="" 1="" a.="" at="" at-2s="" b.="" c.="" follow="" in="" its="" le="" of="" rated="" s="" specif="" ste="" tan="" td="" the="" volta<="" δ=""><td>(-40)-25 <math>20\pm 2</math> <math>105\pm</math> <math>20\pm 2</math> <math>05^{\circ}\mathbb{C}</math>, capacioriginal values thall be with eakage currence of <math>5^{\circ}\mathbb{C}</math>, tan <math>5^{\circ}\mathbb{C}</math> shall akage currence of <math>5^{\circ}\mathbb{C}</math>, Impeditionally table.</td><td>tance ne at +2 in the literature ment ment shall be went shall ance (2)</td><td>Tim Tim Tim Tim Tim neasure 0°C. Imit of asured ithin to not mot mot mot mot mot mot mot mot mot m</td><td>e to re e to re he to re e to</td><td>ach the ach th</td><td>ermal ermal ermal ermal rithin more em 4.4 specifi excee</td><td>equilii equilii equilii equilii equilii ±20% than { led valed the 50</td><td>brium brium brium 6 8 times ue. c value</td><td>e of the</td></criteriax>	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $05^{\circ}\mathbb{C}$ , capacioriginal values thall be with eakage currence of $5^{\circ}\mathbb{C}$ , tan $5^{\circ}\mathbb{C}$ shall akage currence of $5^{\circ}\mathbb{C}$ , Impeditionally table.	tance ne at +2 in the literature ment ment shall be went shall ance (2)	Tim Tim Tim Tim Tim neasure 0°C. Imit of asured ithin to not mot mot mot mot mot mot mot mot mot m	e to re he to re e to	ach the ach th	ermal ermal ermal ermal rithin more em 4.4 specifi excee	equilii equilii equilii equilii equilii ±20% than { led valed the 50	brium brium brium 6 8 times ue. c value	e of the
3.6	-	2 3 4 5 <criteria +1="" 1="" a.="" at="" at-2s="" b.="" c.="" follow="" in="" its="" le="" of="" rated="" s="" specif="" ste="" tan="" td="" the="" volta="" z+<="" z-25°c="" δ=""><td>(-40)-25 <math>20\pm 2</math> <math>105\pm</math> <math>20\pm 2</math> <math>20\pm 2</math></td><td>± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</td><td>Tim Tim Tim Tim Tim Tim Tim Tim Tim Tim</td><td>e to re e to re shall he limit ore that o shall</td><td>ach the ach th</td><td>ermal ermal ermal ermal rithin more em 4.4 excee 35 2</td><td>equilii equilii equilii equilii ± 20% than 8 led valued the</td><td>brium brium brium 6 8 times ue. e value 63 2</td><td>e of the 100 2</td></criteria>	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $20\pm 2$	± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Tim	e to re shall he limit ore that o shall	ach the ach th	ermal ermal ermal ermal rithin more em 4.4 excee 35 2	equilii equilii equilii equilii ± 20% than 8 led valued the	brium brium brium 6 8 times ue. e value 63 2	e of the 100 2
3.6	-	2 3 4 5 <criteriax +1="" 1="" a.="" at="" at-2s="" b.="" c.="" follow="" in="" its="" le="" of="" rated="" s="" specif="" ste="" tan="" td="" the="" volta="" z+="" z+<="" z-25°c="" z-40°c="" δ=""><td><math>(-40)</math>-25 <math>20\pm 2</math> <math>105\pm 20\pm 2</math> <math>05^{\circ}\mathbb{C}</math>, capacioriginal values thall be with eakage currence of <math>\mathbb{C}</math>, tan <math>\mathbb{C}</math> shall be akage currence of <math>\mathbb{C}</math>. Impedition table.  The second content of <math>\mathbb{C}</math> is the second content of <math>\mathbb{C}</math> in <math>\mathbb{C}</math></td><td><math>\pm 3</math> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 8</td><td>Tim Tim Tim Tim Tim neasure 0°C. Imit of assured ithin tinot met 2) rati</td><td>e to re e to shall litem 4 shall he limitore that o shall  5 2</td><td>ach the ach th</td><td>ermal ermal ermal ermal ermal rithin more em 4.4 specifi excee</td><td>equilii equilii equilii equilii equilii ± 20%  than { led valed thee  thee thee thee thee thee thee the</td><td>brium brium brium  6  8 times  ue.  value  63  2  3</td><td>2 3</td></criteriax>	$(-40)$ -25 $20\pm 2$ $105\pm 20\pm 2$ $05^{\circ}\mathbb{C}$ , capacioriginal values thall be with eakage currence of $\mathbb{C}$ , tan $\mathbb{C}$ shall be akage currence of $\mathbb{C}$ . Impedition table.  The second content of $\mathbb{C}$ is the second content of $\mathbb{C}$ in $\mathbb{C}$	$\pm 3$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 8	Tim Tim Tim Tim Tim neasure 0°C. Imit of assured ithin tinot met 2) rati	e to re e to shall litem 4 shall he limitore that o shall  5 2	ach the ach th	ermal ermal ermal ermal ermal rithin more em 4.4 specifi excee	equilii equilii equilii equilii equilii ± 20%  than { led valed thee  thee thee thee thee thee thee the	brium brium brium  6  8 times  ue.  value  63  2  3	2 3
3.6	-	2 3 4 5 <criteria +1="" 1="" a.="" at="" at-2s="" b.="" c.="" follow="" in="" its="" le="" of="" rated="" s="" specif="" ste="" tan="" td="" the="" volta="" volta<="" z+="" z-25°c="" z-40°c="" δ=""><td>(-40)-25 <math>20\pm 2</math> <math>105\pm</math> <math>20\pm 2</math> <math>20\pm 2</math></td><td>± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</td><td>Tim Tim Tim Tim Tim Tim Tim Tim Tim Tim</td><td>e to re e to re shall f Item 4 shall he limit fore that o shall f 2 d d d d d d d d d d d d d d d d d d d</td><td>ach the ach th</td><td>ermal ermal ermal ermal ermal rithin more em 4.4 specifi excee</td><td>equilii equilii equilii equilii equilii ± 20%  than 8 4 led valued the 50 2 3 3 350</td><td>brium brium brium  6  8 times  ue.  value  63  2  3  400</td><td>e of the  100 2 3 450</td></criteria>	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $20\pm 2$	± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Tim	e to re shall f Item 4 shall he limit fore that o shall f 2 d d d d d d d d d d d d d d d d d d d	ach the ach th	ermal ermal ermal ermal ermal rithin more em 4.4 specifi excee	equilii equilii equilii equilii equilii ± 20%  than 8 4 led valued the 50 2 3 3 350	brium brium brium  6  8 times  ue.  value  63  2  3  400	e of the  100 2 3 450
3.6	-	2 3 4 5 <criteria: +="" +1="" +<="" 1="" a.="" at="" at-2:="" b.="" c.="" follow="" in="" its="" le="" of="" rated="" s="" specif="" ste="" tan="" td="" the="" volta="" z="" z-25°c="" δ=""><td>(-40)-25 <math>20\pm 2</math> <math>105\pm</math> <math>20\pm 2</math> <math>20\pm 2</math></td><td>± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</td><td>Tim Tim Tim Tim Tim Tim Tim Tim Tim Tim</td><td>e to re e to r</td><td>ach the ach th</td><td>ermal ermal ermal</td><td>equilii equilii equilii equilii equilii ± 20% than { than {     ded valued thee     ded thee</td><td>brium brium brium  brium  6  3 times  400 6</td><td>2 3</td></criteria:>	(-40)-25 $20\pm 2$ $105\pm$ $20\pm 2$ $20\pm 2$	± 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Tim	e to re e to r	ach the ach th	ermal	equilii equilii equilii equilii equilii ± 20% than { than {     ded valued thee     ded thee	brium brium brium  brium  6  3 times  400 6	2 3





		<condition></condition>					
		According to IEC60384	-4No.4.13 methods, The capacitor is stored				
		at a temperature of 105	$\pm 2$ °C with DC bias voltage plus the rated				
		ripple current for φ 5~ 0	\$\dip\$ 6.3: 3000+48/0 hours; \$\dip\$ 8~ \$\dip\$ 10: 4000+48/0				
		= =	48/0 hours. (The sum of DC and ripple peak				
			ed the rated working voltage) Then the product				
		should be tested after 16 hours recovering time at atmospheric					
3.7	Load life test		hould meet the following table:				
		001101101101101101101101101101101101101	nouse more than some ways emero.				
		<criteria></criteria>					
			meet the following requirements.				
		Leakage current	Value in 4.3 shall be satisfied				
		Capacitance Change	Within $\pm 25\%$ of initial value.				
		tan 8	Not more than 200% of the specified value.				
		Appearance	There shall be no leakage of electrolyte.				
		<condition></condition>					
		The capacitors are then s	stored with no voltage applied at a				
		temperature of $105\pm2^{\circ}$ C for $1000+48/0$ hours. Following this period					
		the capacitors shall be removed from the test chamber and be allowed to					
		-	erature for 4~8 hours. Next they shall be				
		=	niting resistor( $1k\pm100\Omega$ ) with D.C. rated				
		voltage applied for 30mi	in. After which the capacitors shall be				
		discharged, and then, tes					
2.0	G1 1C 1'C	_					
3.8	Shelf life test	<criteria></criteria>					
		The characteristic shall	meet the following requirements.				
		Leakage current	Value in 4.3 shall be satisfied				
		Capacitance Change	Within $\pm 25\%$ of initial value.				
		tan δ	Not more than 200% of the specified value.				
		Appearance	There shall be no leakage of electrolyte.				
		D 1 IC 1					
		-	are stored more than 1 year, the leakage current				
		•	bly voltage through about 1 K $\Omega$ resistor, if				
		necessary.					





3.9	Surge test	$(100 \pm 50)/C_R (K \Omega)$ resi The capacitor shall be s	ubmitted to 1000 cycles, each consisting of ved discharge of 5 min 30s. all be 15~35°C.
3.9		Leakage current Capacitance Change tan δ Appearance Attention: This test simulates over v	Not more than the specified value.  Within ±15% of initial value.  Not more than the specified value.  There shall be no leakage of electrolyte.  voltage at abnormal situation only. h over voltage as often applied.
3.10	Solderability test	<condition> The capacitor shall be teste Soldering temperature : Dipping depth : 2: Dipping speed : 2:</condition>	d under the following conditions: 245±3°C mm 5±2.5mm/s ±0.5s  A minimum of 95% of the surface being immersed



3.11	Vibration	The following conditions shall be applied for 2 hours in each 3 mutually perpendicular directions.  Vibration frequency range : 10Hz ~ 55Hz Peak to peak amplitude : 1.5mm Sweep rate : 10Hz ~ 55Hz ~ 10Hz in about 1 minute  Mounting method: The capacitor with diameter greater than 12.5mm or longer than 25mm must be fixed in place with a bracket.  Within 30°  4mm or less  Within 30°  4mm or less  After the test, the following items shall be tested:  Inner construction  No intermittent contacts, open or short circuiting. No damage of tab terminals or electrodes.  No mechanical damage in terminal. No leakage of electrolyte or swelling of the case. The markings shall be legible.
3.12	Resistance to solder heat test	<condition> Terminals of the capacitor shall be immersed into solder bath at 260±5°C for 10±1 seconds or 400±10°C fo for 3<sup>+1</sup>/<sub>-0</sub> seconds to 1.5~2.0mm from the body of capacitor.  Then the capacitor shall be left under the normal temperature and normal humidity for 1~2 hours before measurement.   <criteria> Leakage current Not more than the specified value. Capacitance Change Within ±10% of initial value. tan δ Not more than the specified value. Appearance There shall be no leakage of electrolyte.</criteria></condition>



3.13	Change of temperature test	<condition> Temperature cycle: According to IEC6038 oven, the condition acc  Temperature  (1)+20°C  (2)-25°C(-40°C)  (3)+105°C  (1) to (3)=1 cycle, tot  <criteria> The characteristic shall Leakage current tan δ  Appearance</criteria></condition>	al 5 cycle  I meet the  Not more	below:	Minutes Minutes Minutes Minutes  Minutes  irement.  ified value.	ced in an
3.14	Damp heat test	Condition>     Humidity test:     According to IEC60384-4 No.4.12 methods, capacitor shall be exposed for $500\pm8$ hours in an atmosphere of $90\sim95\%$ R H .at $40\pm2^{\circ}$ C, the characteristic change shall meet the following requirement contains:    Criteria>				
3.15	Vent test	<pre><condition> The following test onl diameter ≥Ø6.3 with ve D.C. test The capacitor is connec Then a current selected  <table 2=""></table></condition></pre>	ent.  ted with it from Table  OC Current  1	s polarity reverse 2 is applied.  (A)  dangerous cond	sed to a DC powe	er source.



## 4.体积和最大纹波电流 CASE SIZE & MAX RIPPLE CURRENT

Size  $\Phi$  DXL (mm) , Ripple Current (mA r.m.s/+105  $^{\circ}$ C,120 Hz)

	WV	6	.3	1	0	1	6
μF	ITEM	D×L	R.C.	DxL	R.C.	D×L	R.C.
	100			5×11	120	6.3×11	160
•	150	5×11	150	6.3×11	160	8×12	230
2	220	6.3X11	160	6.3×11	220	8X12	260
;	330	6.3×11	220	8×12	280	8×12	330
4	470	8X12	330	8×12	320	10×12.5	400
(	086	8×12	370	10X12.5	500	10X16	600
1	000	10×12.5	460	10×16	650	10×20	800
1	500	10×20	700	10×25	850	13×20	1000
2	200	10×25	1050	13×20	1150	13×25	1250
3	300	13×20	1250	13×25	1300	16×25	1600
4	700	13×30	1550	16×25	1650	16×30	1750

	WV	2	5	3	5		50		
μF	ITEM	D×L	R.C.	D×L	R.C.	D×L	R.C.		
	22					5×11			
	33			5×11	88	6.3X11	90		
	47	5×11	90	6.3X11	130	8X12	180		
	100	6.3×11	170	8X12	240	8×12	230		
,	150	8X12	250	8×12	280	10×12.5	300		
	220	8×12	300	10×12.5	370	10×16	550		
;	330	10×12.5	450	10×16	450	10×25	700		
4	470	10×16	580	10×20	550	13×20	820		
	680	10×20	750	13×20	700	13×30	1050		
1	000	13×20	920	13×25	1150	16×25	1600		
1	500	13×25	1250	16×25	1350	16X35	1800		
2	200	13×20	1280	10x25	1330	10/35	1600		
2	200	16×25	1500	16X30	1600	18X35	2000		
2	700	16X25	1620	16X35	1750				
3	300	16X30	1900	18X35	2150				

	WV		63	10	00
μF	ITEM	D×L	R.C.	DxL	R.C.
	15	6.3×11	90	6.3×11	75
	22	6.3×11	105	8×11	130
	33	6.3×11	125	10×12.5	170
	47	8×11	135	10×12.5	210
	100	10×12.5	270	10×25	380
	150	10×16	330	13×20	550
	220	10×25	500	13×30	700
	330	13×25	750	16×30	900
	470	13×30	1200	16×35	1140
	680	16X25	1350	18X35	1600
1000		16X35	1600		




μF	WV	16	50	20	00	250		
μι	ITEM	D×L	R.C.	D×L	R.C.	D×L	R.C.	
	1							
	2.2							
	3.3	6.3×11	37	6.3×11	35	8×12	40	
4	4.7	6.3×11	45	6.3×11	45	8×12	50	
	10	10×12.5	66	10×12.5	85	10×12.5	80	
	22	10×16	115	10×16	120	10×20	140	
	33	10×20	160	10×20	175	13×20	195	
	47	10×20	200	13×20	215	13×25	240	
						16×35	500	
1	100	16×25	450	16×25	400	18x20	465	
						18x25	480	
2	220	16×35	720	16×40	700	18×35	500	
3	330	18×35	820	18×40	900			

υE	WV	35	50	4(	00	450		
μF	ITEM	D×L	R.C.	D×L	R.C.	D×L	R.C.	
0	).47							
	1	6.3×11	20	8×12	20	8×12	20	
- 2	2.2	8×12	35	8×12	28	10×12.5	30	
- 1	3.3	8×12	42	8×12	38	10×12.5	35	
4	4.7	10×12.5	55	10×12.5	50	10×16	46	
	10	10×16	80	10×16	80	13×20	95	
	22	13×20	160	13×25	170	16×25	200	
	33	16×25	220	16×25	240	16×35	260	
	47	16×25	280	16×30	300			
1	100	18×35	500	18×35	500			



5.外型图

DIMENSIONS Unit: mm



φD	6.3	8.0	10.0	12.5	16.0	18.0		
F	2.5	3.5	5.0		7.5			
фd	0.	0.6 0.8						
α	(L<2	(L<20) 1.5		(L≥20) 2.0				

# 6.纹波电流、温度修正系数

## MULTIPLIER FOR RIPPLE CURRENT

频率系数 Frequency coefficient

coefficient Cap(μF)	Frequency (Hz)	50	120	300	1K	10K~
	0.1~47μF	0.75	1.00	1.25	1.47	1.80
6.3~100V	68~470μF	0.80	1.00	1.15	1.35	1.50
	≥560μF	0.85	1.00	1.05	1.10	1.15
160~450V	0.47~220μF	0.80	1.00	1.20	1.30	1.50
100~450V	≥270μF	0.90	1.00	1.10	1.13	1.15


Unit: mm



# 7. Forming Dimension

Cutting Type





Shape Code	фD	Ф 6.3	Ф8	ф 10~ ф 13	ф 16~ ф 18
	F	2.5	3.5	5.0	7.5
Cutting-3.5mm	Н	3.5	3.5	3.5	3.5
	d	0.5	0.5	0.6	0.8
Shape Code	φD	Ф 6.3	Ф8	ф 10~ ф 13	ф 16~ ф 18
Shape Code	φD F	φ 6.3 2.5	φ8 3.5	φ 10~ φ 13 5.0	φ 16~ φ 18 7.5
Shape Code Cutting-5.5mm					


Shape Code	φD	Ф 6.3	Ф8	ф 10~ ф 13	ф 16~ ф 18
Cutting-6.0mm	F	2.5	3.5	5.0	7.5
	Н	6.0	6.0	6.0	6.0
	d	0.5	0.5	0.6	0.8

Shape Code	φD	Ф 6.3	Ф8	ф 10~ ф 13	ф 16~ ф 18
Cutting-7.0mm	F	2.5	3.5	5.0	7.5
	Н	7.0	7.0	7.0	7.0
	d	0.5	0.5	0.6	0.8



# 8. Taping Dimension:

# 8.1 Straight foot braid:




# **Taping dimension**

Unit: mm

	C 1	1	ı	1			I	
Item	Code	T2	TB	Т3	Т	`5	Т	7
Diameter	D	5	6.3	8	10	12.5	16	18
Height	A			10~30	1	ı	ı	
Lead Diameter	d±0.05	0.5 0.5 0.5 0.6 0					.8	
Component Spacing	P±1.0			12.7	•			
Pitch of sprocket holes	$P_0 \pm 0.2$			12.7				
Distance between centers of terminal and the sprocket holes	$P_1 \pm 0.5$	5.35	5.10	4.60	3.85 5.00 3.75		3.75	
Feed hole center to component center	$P_2 \pm 1.0$	6.35	6.35	6.35	6.35	7.50	7.50	7.50
Distance between centers of component leads	$F_{-0.5}^{+0.5}$	2.0	2.5	3.5	5.0		7.5	
Distance between centers of component leads Adhesive Tape cover	$F_{2}^{+0.8}_{-0.5}$	2.0	2.5	3.5	5.0 7.5		.5	
Carrier tape width	$\mathbf{W}_{-0.5}^{+1}$	18						
Hold down tape width	$\mathbf{W}_0$	7min						
Distance between the center of upper edge of carrier tape and sprocket hole	$W_1 \pm 0.5$	9						
Distance between the upper edges of the carrier tape and the hold down tape	$\mathbf{W}_2$	3max						
Distance between the abscissa and the bottom of the components body	+0.75 H -0.5	18.5						
Cut off position of defectives	L	11 max						
Max. lateral deviation of the component body vertical to the tape plane	$\triangle h$	2 max						
Max. deviation of the component body in the tape plane	ΔP	1.3 max						



# **8.2** Enlarge the foot braid:



Taping dimension Unit: mm

Taping dimension	Unit: mm				
Item	Code	Т5	T5	Т5	
Diameter	D	5	6.3	8	
Height	A		10~20		
Lead Diameter	d±0.05	0.5	0.5	0.5	
Component Spacing	P±1.0	12.7			
Pitch of sprocket holes	$P_0 \pm 0.2$		12.7		
Distance between centers of terminal and the sprocket holes	$P_1 \pm 0.5$	3.85	3.85	3.85	
Feed hole center to component center	$P_2 \pm 1.0$	6.35	6.35	6.35	
Distance between centers of component leads	$\mathrm{F}_{-0.5}^{+0.5}$	5.0	5.0	5.0	
Distance between centers of component leads Adhesive Tape cover	$F_{2}^{+0.8}_{-0.5}$	5.0	5.0	5.0	
Carrier tape width	W +1 -0.5	18			
Hold down tape width	$\mathbf{W}_0$	7min			
Distance between the center of upper edge of carrier tape and sprocket hole	$W_1 \pm 0.5$	9			
Distance between the upper edges of the carrier tape and the hold down tape	$\mathbf{W}_2$	3max			
Distance between the abscissa and the bottom of the components body	+0.75 H -0.5	18.5			
Distance between the abscissa and the reference plane of the components with crimped leads	$H_0 \pm 0.5$	16.0			
Cut off position of defectives	L	11 max			
Max. lateral deviation of the component body vertical to the tape plane	△h	2 max			
Max. deviation of the component body in the tape plane	$\triangle P$	1.3 max			



#### 铝电解电容器的使用注意事项

#### 1. 电路设计

- (1)在确认使用和安装环境时,作为按产品样本设计说明书上所规定的额定性能范围内使用的电容器,应避免在下述情况下使用:
  - a)高温(温度超过最高使用温度)
  - b)过流(电流超过额定纹波电流)
  - c)过压(电压超过额定电压)
  - d)施加反向电压或交流电压
  - e)使用于反复多次充电和放大的电路中。
- 另:1)在电路设计时,请选用与机器寿命相当的电容器。
  - 2)机器性能有特殊要求时,可与研发人员探讨,制作适用的特殊电容器。
- (2) 电容器外壳,辅助引出端子与正,负极以及电路板间必须完全隔离;
- (3) 当电容器套管的绝缘不能保证时,在有绝缘性能特定要求的地方请不要使用;
- (4) 请不要在下述环境下使用电容器:
  - a)直接与水, 盐水及油类相接触或结露的环境;
  - b)充满有害气体的环境(硫化物, H2SO3, HNO3,CL2 氨水等);
  - c)置于日照, O3,紫外线及有放射性物质的环境;
  - d)振动及冲擎条件超过了样本及说明书的规定范围的恶劣环境;
- (5) 在设计电容器的安装时,必须确认下述内容:
  - a)电容器正负极间距必须与线路板孔距相吻合;
  - b) 保证电容器防爆阀上方留有一定的空间;
  - c) 电容器防爆阀上方尽量避免设计,安装其他元件;
  - d) 电路板上, 电容器的安装位置, 请不要有其他配线;
  - e) 电容器四周及电路板上尽量避免设计,安装发热元件。
- (6) 另外,在设计电路时,必须确认以下内容:
  - a) 温度及频率的变化不至于引起电性能变化;
  - b) 双面印刷板上安装电容器时,电容器的安装位置避免多余的基板孔和过孔:
  - c) 两只以上电容器串聊连接时的电压均衡。

#### 2.元件安装

- (1)安装时,请遵守以下内容:
- a)为了对电容器进行点检,测定电器性能时,除了卸下的电容器,装入机器中通过电的电容器请不要使用;
  - b) 当电容器产生再生电压时,需通过约 1KOHM 左右的电阻进行放电;
  - c)长期保存的电容器,需通过约 1KOHM 左右的电阻加压处理;
  - d) 确认规格(静电容量及额定电压等)及极性后,再安装:
  - e) 不要让电容器掉到地上, 掉下的电容器请不要使用:
  - f) 变形的电容器不要安装:
  - g) 电容器正负极间距与电路板孔必须相吻合:
  - h) 自动插入机的机械手力量不宜过大;
  - (2) 焊接式, 请确认下面内容
    - a)注意不要将焊锡附着在端子以外;



- b) 焊接条件(温度,时间,次数)必须按规定说明执行;
- c) 不要将电容器本身浸入到焊锡溶液中:
- d) 焊接时, 不要让其他产品倒下碰到电容器上;
- (3) 焊接后的处理应不产生以下的机械应力
  - a) 电容器发生倾倒, 扭转;
  - b) 电容器碰到其他线路板;
  - c) 使其他物体碰撞到电容器。
- (4)电容器不要用洗净剂洗净,不过,在有必要洗净的情况下对电容进行洗净,必须在产品规格书规定的范围内进行。
- (5) 对有必要洗净的电容器,洗净时,需确认下列内容:
  - a) 洗净剂污染管理(电导率, PH值, 比重, 水分等)
- b)洗净后,不能保管在洗净液环境中及密闭容器中,要采用(最高使用温度以下的)热风干燥印刷电路板及电容器,使之不残留洗净液成分。
- (6) 不使用含卤素的固定剂,树脂涂层剂
- (7) 使用固定剂,涂层剂时,请确认以下内容
  - a) 电路板与电容器之间,不能残留焊接残渣及污垢:
  - b) 固定剂,涂层剂吸附前,尽可能不残留洗净成分,进行干燥处理,使印刷孔不堵塞;
  - c) 固定剂,涂层剂硬化条件,按规定说明书要求执行。

#### 3.组装使用

- (1)组装使用中,请遵守以下内容:电容器的端子间不要直接接触,另外,不要让导体物质引起正负极短路。
- (2) 请确认所安装电容器所处环境
  - a) 不要与水或油污接触或处于结露状态;
  - b) 不要让日光, O3.紫外线及放射直接照射到电容器上;
  - c) 不要处于充满有害气体的环境(硫化氢,亚硫酸,亚硝酸,氨水,CL2,等)
  - d) 震动及冲擎不要超样本或规格说明中规定值。

#### 4.保守点检

工厂企业用的电容器,必须定期点检,定期点检项目包括外观检查及电性能的测试。

#### 5.意外情况

- (1)组装使用过程中,如电容器防爆阀打开,请切断组装主电源或拔下电源线插头。
- (2)电容器防爆阀动作时,因有超过 100℃高温气体喷出,脸不要接近,出的气体进入眼睛时,立即用水清洗眼睛,不要当电容器电解液,电解液溅到皮肤上时,用肥皂清洗。

#### 6. 熏蒸处理

当组装电容器的电子产品出口到海外时,用溴化钾等卤化物节能型熏蒸处理,因采用此方法可能会产生因卤素离子而引起的腐蚀反应,请务必小心,熏蒸时,熏蒸液不能直接接触电子产品,同时有必要进行充分干燥处理,估计有熏蒸液附着及干燥不充分时,有必要先查询一下安全性。

#### 7.储存条件

- (1) 在温度为 5-30℃, 温度为 75%以下的室内储存;
- (2) 不要保存在组装使用中禁用的环境及同等条件下。
- (3)经过一年后, 电容器应用额定电压, 加上串联电阻 1000Ω, 30 分钟来重老化处理。

#### 8.报废情况

废弃的电容器,可任选下面一种方法进行处理:

- (1) 电容器上开孔货压碎后焚烧:
- (2) 电容器不焚烧时,交给专业废品回收人员进行深埋等处理。

第17页 /共21页



When using Aluminum Electrolytic Capacitors, please pay attention to the points listed below.

If the following types of electrical loads are applied to Aluminum Electrolytic Capacitors,rapid deterioration of electrical property occurs:

- ◆ Reverse voltage
- Overvoltage exceeding rated working voltage
- ◆ Current exceeding rated ripple current
- ◆ Severe charging/discharging

At such times, severe heat is generated, gas is emitted, then electrolyte leaks from the sealed area, and pressure relief vent operates due to increase of internal pressure. In the worst case, explosion or igniton may occur, and along with destruction of the capacitor combustibles may burst out.

#### 1.CAUTION DURING CIRCUIT DESIGN

#### 1)OPERATIONAL ENCIRONMENT, MOUNTING ENVIRONMENT AND CONDITIONS

Ensure that operational and mounting conditions follow the specified conditions detailed in the catalog and specification sheets

#### 2)OPERATING TEMPERARURE, RIPPLE CURRENT AND LOAD LIFE.

Operating temperature and applied ripple current should be within the specified value in the catalog or specification sheets.

Do not use Aluminum Electrolytic Capacitors at temperature which exceeds the specified category temperatures range.

Do not apply excessive current to the capacitors, which exceeds the specified rated ripple current.

During circuit design ,please ensure that capacitors are selected to match with the lifetime requirements of the application

#### 3).APPLICATION

Aluminum Electrolytic Capacitors are normally polarized .Reverse voltage or AC coltage should not be applied. When polarity may flip over, non-polar type should be used, but the non-polar type cannot be used for AC.

Standard Aluminum E lectrolytic Capacitors are not suitable for rapid charge and discharge applications. Please consult with Shanghai Suzuki Electronics or sales office of Suzuki Techno Group in your area about special designed capacitors for rapid charge and discharge.

#### 4)APPLIED COLTAGE

Do not exceed the rated voltage of capacitors

#### 5)INSULATION

Aluminum Electrolytic Capacitors should be electricially isolated from the following.

Aluminum case, cathode lead wire, anode lead wire and circuit pattern;

Auxiliary terminals of snap-in type, anode terminal, outward terminals and circuit pattern.

The PVC sleeve of Aluminum Electrolytic Capacitors is not recognized as an insulator, and therfore, the standard capacitor should not be used in a place where insulation function is needed. Please consult with Shanghai Suzuki Electronics or sales office of Suzuki Techno Group in your area, if you require a higher grade of insulating sleeve.

#### 6) CONDITIONS OF USE

The following environments should be avoided when suing Aluminum Electrolytic Capacitors. Damp conditions such as water ,salt water or oil spray or fumes,high humidity or humidity condensation situations;.



Hazardous gas/fumes such as hydrogen sulfide, sulfurous acid gas, nitrous acid, chlorine gas, ammonia or bromine gas;

Exposure of ozone ,ultraviolet rays or radiation;

Severe vibration or shock which exceeds the cinditon specified in the catalog or specification sheets.

#### 7) CONSIDERATION TO ASSEMBLY CONDITION

In designing a circuit, the following matters should be ensured in advance to the capacitor's assembly on the printed circuit board (PC board)

Design the appropriate hole spacing to match the lead pitch of capacitors;

Do not locate any wiring and circuit patterns directly above the capacitor's vent;

Ensure enough free space iabove the capacitor's vent. The recommended space is specified in the catalog or specification sheets;

In case the capacitor's vent is facing the PC board, make a gas release hole on PC board.

The sealing side of the screw terminal type should not face down in the application. When the capacitors are mounted horizontally, the anode screw terminals must be positioned at upper side...

### 8) CONSIDERATION TO CIRCUIT DESIGN

Any copper lines or circuit patterns should not be laid under the capacitor;

Parts which radiate heat should not be placed close to the reverse side of the Aluminum Electrolytic Capacitors on the PC board.

#### 9)OTHERS

Performance of electrical characteristics of Aluminum Electrolytic Capacitors is affected by variation of operating temperature and frequency. Consider this variation when deaigning the circuit.

Excessive holes and connection hole between both sides on the PC board should be avoided around or under the mounting area of the Aluminum Electrolytic Capacitors on double sided or multilayer PC board.

Torque of tightening screw terminals should not exceed the specified maximum valu which is described in the catalog and specification sheets .

Consider current balance when 2 or more Aluminum Electrolytic Capacitors are connected in parallel.

Use bleeding resistors when 2 or more Aluminum Electrolytic Capacitors are connected in series .In this case,the resistors should be connected parallel to the capacitors.

#### 1. CAUTION FOR ASSEMBLING CAPACITORS

#### 1) CAUTION BEFORE ASSEMBLY

Aluminum Electrolytic Capacitors cannot be recycled after mounting and applying electricity in unit. The capacitors, which are removed from PC board for the purpose of measuring electrical characteristics at the periodical inspection, should only be recycled for the same pisition.;

Aluminum Electrolytic Capacitors may accumulate charge naturally during storage. In this case, discharge through a 1KOHM resistor before use;

Leakage current of Aluminum Electrolytic Capacitors may be increased during long storage time. In this case, the capacitors should be subject to voltage treatment through a 1KOHM resistor before use.

## 2)IN THE ASSEMBLY PROCESS-1

Ensure rated voltage and capacitance of the capacitors before mounting;

Ensure capacitors polarity before mounting;



Do not use a capacitor which has been dropped onto a hard surface;

Do not use a capacitor with damaged or dented cased or seals.

#### 3)IN THE ASSEMBLY PROCESS-2

Capacitors should be mounted after confirmation that hole spacing on PC board matches the lead pitch of the capacitors;

The snap-in type of capacitors should be mounted firmly on the PC board without a gap between the capacitor body and the surface of PC board;.

Avolsd excessive force when clinching lead wire during auto-insertion process;

Avoid excessive shock to capacitors by automatic inserting machine, during mounting, parts inspection or centering operations;

Please utilize supporting material such as strap of adhesive to mount capacitors to PC board when it is anticipated that vibration or shock is applied.

#### 4) SOLDERING

Soldering conditions (temperature,time)should be within the specified conditions which are described in the catalog or specification sheets;

In case lead wire reforming is needed due to inappropriate pitch between capacitor and holes on PC board, stress to the capacitor should be avoided;

In case of maintenance by soldering iron, if it is required to detach the capacitor, it should be removed from PC board after solder has melted sufficiently in order to reduce stress on the lead wires/terminals of the capacitor;

Soldering iron should never touch the capacitor's body.

#### 5)FLOW SOLDERING

Do not dip capacitor's body into melted solder,.It should only be soldered on the reverse side of the PC board on which the capacitors are mounted;

Soldering condition((preheat, soldering temperature, dipping time) should be within the specified standard which is described in the catalog or specification sheets;

Flux should not be adhered to capacitor's body but only to its terminals;

Other devices which are mounted close to capacitors should not touch the capacitors.

#### 6) REFLOW SOLDERING

Reflow soldering conditions(preheat, soldering, temperature, reflow time ) should follow the specified standard which is described in the catalog or specification sheets;

Heating standard should depend on surface of the capacitor color or materials when infrared rays are used because the capacitor's heat absorption depends on the surface color or materials. Check heat condition;

Standard Aluminum Electrolytic Capacitors cannot withstand two or more reflow processes.

#### 7) HANDLING AFTER SOLDERING

Do not bend or twist the capacitor's body after soldering on PC board;

Do not pick-up or move PC board by holding the soldered capacitors;

Do not hit the capacitors and isolate capacitors from the PC board or other device when stacking PC boards in store.

#### 8) PC BOARD CLEANING

Standard Aluminum Electrolytic Capacitors should be free from halogenated solvents during PC board cleaning after soldering.

#### 9) ADHESIVES AND COATNG MATERIALS

Do not use halogenated adhesives and coating materials to fix Aluminum Electrolytic Capacitors;



Flux between the surface of the PC board and sealing of capacitors should be cleaned before using adhesives or coating materials;

Solvents should be dried up before using adhesives or coating materials;

Do not cover up all the sealing area of capacitors with adhesives or coating materials, make coverage only partial.

#### 2. CAUTION DURING USE OF CAPACITORS IN SETS

- 2.1 Do not touch the terminals of capacitors;
- 2.2 Do not connect electrical terminals of the capacitors. Keep the capacitors free from conductive solution, such as acid, alkali and so on;
- 2.3 Ensure the operational environment of the equipment in which the capacitor has been built is within the specified condition mentioned in the catalog or specification sheets.

#### 3. MAINTENANCE

- 3.1 Periodical inspection should be carried out for the capacitors, which are used with industrial equiment;. Check the following points at the inspection.
- 3.2 Visual inspection to check pressure relief vent open or leakage of electrolyte;
- 3.3 Electrical characteristics:leakage current,capacitance,dissipation factor and the other points which are mentioned in the catalog or specification sheets.

#### 4. EMERGENCY ACTION

- 4.1 If the pressure relief vent is open and some gas blows out from the capacitor, turn the main switch of the eauipment off or pull out the plug from the power outlet immediately;
- 4.2 During pressure relief vent operation, extremely hot gas(over 100°C) may blow out from the vent area of the capacitors. So keep your face and skin away from capacitors during its operation. In case of eye contact, flush the open eye(s) with large amount of clean water immediately. In case of ingestion, gargle with water immediately, and do not swallow. Also do not touch electrolyte but wash skin with soap and water in case of skin contact.

#### 5. STORAGE CONDITIO

- 5.1Aluminum Electrolytic Capacitors should not be stored in high temperature or in high humidity. The suitable storage condition is 5°C-35°C, and less than 75% in relative humidity;
- 5.2Aluminum Electrolytic Capacitors should not be stored in damp conditions such as water, salt water spray or oil spray;
- 5.3Do not store Aluminum Electrolytic Capacitors in an environment full of hazardous gas (hydrogen sulfide gas,sulfurous acid gas,nitrous acid,chlorine gas,ammonia or btomine gas);
- 5.4 Aluminum Electrolytic Capacitors should not be stored under exposure to ozone ,ultraviolet rays or radiation.
- 5.5 After one year, a capacitor should be reconditioned by applying rated voltage in series with a  $1000\Omega$  current limiting resistor for a time period of 30 minutes.

#### 6. DISPOSAL

1)Please take either of the following actions in case of disposal.

Incinerarion(high temperature of more than  $800^{\circ}$ C) after crushing the capacitor's body; Consignment to specialists of industrial waste.